BT 300P PRODUCT PROFILE







Specs

Working Voltage	@DC 9V~30V
Display	2.4'Colour
Cable Length	31.5 inches
Working Temperature	-10℃ to 55℃
Storage Temperature	-20℃ to 75℃
Dimension	8.19*3.94*1.49 inches
Weight	16.76 oz
Protection	Reverse Polarity Protection
CCA	100-2000
Battery Type	Flooded/AGM/GEL/EFB
Battery Standard	CCA/CA/BCI/MCA/DIN/IEC/EN/SAE/JIS/GB

Function

- Ol Battery Test
- 02 Cranking Test
- O3 Charging Test
- 04 Built-in Printer
- 05 Review Data
- 06 Multi-language




Professional Research & Technology. Professional Results.

TOPDON(R)'s BT300P represents our latest refinements in research, testing, and safety - all with you, the pro as well as DIY in mind.



Comprehensive & Versatile Battery Coverage.





Quick Start, Intuitive, Friendly, and Step-by-Step.



What more is there to say? TOPDON®'s BT 300P is easy to use even for someone who has never tested batteries before.

It's 2.4" attractive color display also sets it apart from other testers in its class.

What's better than an effective tool? How about one that's always a pleasure to work with?









- · Multi-Language Support;
- High Quality, Light Weight, Wear-Resistant Storage Bag;
- 3 Free Rolls of Standard Printing Paper.



Test it & Print it. Have it Ready when you Need it.

ENTER M

The BT 300P has a built-in printer which can print test results within seconds. Whether you're a professional providing service and documentation, or a meticulous car expert keeping a battery log, we know you'll appreciate printing and having test results.

CHARGE: 12.46V
WOLTAGE: 12.46V
HEALTHY: 6%
MEASURED: 170A
SELECT INPUT: CCA
Rated: 660A
TYPE: NORMAL BATTERY
Internal R: 17.48mΩ

REPLACE BATTERY

RATTERY TEST


BL300P



Weighing only a little more than 1 lb., TOPDON®'s BT 300P works on the go just like you. You'll be ready to make that service call on the road, at your shop, and even late night helping your neighbor.

Explore More Possibilities with BT300P






Bench Test



DIY



Technician



Battery Dealer

What's In the Box


- □ BT300P
- □ Carrying Bag
- User Manual
- □ Printer Paper 3 Rolls







	BT MOBILE LITE	BT 100	BT 200	BT 500	BT MOBILE PROS	BT 300 P
MODEL	TOPBON BTMOBILE ife			Tondan Tondan Tondan Tondan	Elikaber Pala Sana Sana Sana Sana Sana Sana Sana S	
Testing range (CCA)	100-2000CCA	100-2000CCA	100-2000CCA	100-1700CCA	100-2000CCA	100-2000CCA
Testing voltage	12V	12V	12V / 24V	12V / 24V	12∨	12∨
Built-in printer		*	×	✓	*	✓
Application	Flooded/AGM/Gel/EFB/VRLA	Flooded/AGM/Gel/EFB/VRLA	Flooded/AGM/Gel/EFB/VRLA	Flooded/AGM/Gel/EFB/VRLA	Flooded/AGM/Gel/EFB/VRLA	Flooded/AGM/Gel/EFB/VRLA
Battery Standard	CCA/CA/BCI/ MCA/DIN/IC/EA/AS/AS/AS/AS/AS/AS/AS/AS/AS/AS/AS/AS/AS	CCA/CA/BCI/ MCA/DIN/IEC/EN/SAE/JIS/GB	CCA/CA/BCI/ MCA/DIN/IEC/EN/SAE/JIS/GB	CCA,IEC,EN,DIN	CCA/CA/BCI/ MCA/DIN/IEC/EN/SAE/DIS/GB	CCA/CA/BCI/ MCA/DIN/IEC/EN/SAE/JIS/GB
Ripple test	*	√	✓	V	*	✓
12V Battery Test	√	√	√	√	v	✓
24V Battery Test			√	√		
12V Cranking Test	V	√	√	√	√	✓
24V Cranking Test	*	*	√	√	∀	∀
12V Charging test	V	√	√	✓	✓	V
24V Charging test		*	٧	√	V	· ¥
System test	V	*	*	*	V	
Battery Library		×	×	×	V	
Data retrieve	limitless	1 time	1 time	1 time	limitless	1 time
LCD display		2" Backlit	2.4"Color	2" Backlit		2.4"Color
Арр	BT Mobile	*			BTMOBILE PROS	



TOPDUN